

Adverse and Protective Childhood Experiences

Tim Welch, PhD LMFT

Kailey Burgen, BS

Learning Objectives

01

Define adverse childhood experiences (ACEs)

02

Describe the negative effects of exposure to ACEs in adolescence and adulthood

03

Explain underlying mechanisms relating ACEs to health problems

04

Identify relevant protective factors to the harmful effects of exposure to ACEs



WHAT DO YOU ALREADY
KNOW ABOUT ACES?



WHAT DO YOU WANT
TO KNOW ABOUT ACES?



WHAT QUESTION(S) DO
YOU HAVE ABOUT ACES?

Why study ACEs?


Alcohol isn't a gateway drug.
Nicotine isn't a gateway drug.
Caffeine isn't a gateway drug.

Trauma is the gateway. **Childhood abuse** is the gateway. **Molestation** is the gateway. **Neglect** is the gateway.

Drug abuse, violent behavior, hyper sexuality and self harm are often **symptoms** (not the cause) of much bigger **issues**. And it almost always stems from a **childhood** filled with **trauma**, absent parents, and an abusive family.

But most people are too busy laughing at the **homeless** and **drug addicts** to realize your own **children** could be in their shoes in **15 years**.






What are ACEs?

But first:

What do ACEs have to do with obesity interventions?



Definition

- A set of interrelated stressful or traumatic experiences during childhood or adolescence (Felitti et al., 1998)
 - Interrelated – exposure to one increases risk for others
 - Stressful – threat response system activated
 - Childhood – critical window of development for brain and body

ACEs are a set of interrelated stressful or traumatic experiences (Felitti et al., 1998)

Abuse	Neglect	Household dysfunction
<ul style="list-style-type: none">• emotional• physical• sexual	<ul style="list-style-type: none">• emotional• physical	<ul style="list-style-type: none">• domestic violence• mental illness,• substance use,• parental criminal activity/incarceration,• parental separation/divorce

Other Types such as community ACEs - witnessing or experiencing violence (Finkelhor et al., 2013)

Abuse¹

- **Emotional abuse:** A parent or other adult in your home ever swore at you, insulted you, or put you down.
- **Physical abuse:** A parent or other adult in your home ever hit, beat, kicked or physically hurt you.
- **Sexual abuse:** An adult or person at least 5 years older ever touched you in a sexual way, or tried to make you touch their body in a sexual way, or attempted to have sex with you.

Household Challenges

- **Intimate partner violence:**² Parents or adults in home ever slapped, hit, kicked, punched or beat each other up.
- **Substance abuse in the household:** A household member was a problem drinker or alcoholic or used street drugs or abused prescription medications.
- **Mental illness in the household:** A household member was depressed or mentally ill or a household member attempted suicide.
- **Parental separation or divorce:** Parents were ever separated or divorced.
- **Incarcerated household member:** A household member went to prison.

Neglect³


- **Emotional neglect:** An adult in the household never or very seldom made you feel safe and protected.
- **Physical neglect:** An adult in the household never or very seldom tried hard to make sure your basic needs were met.

What other experiences
would you include in the
ACEs list?

What experiences would you
remove?

Expanded ACEs (Cronholm et al. 2015)

- Additional types:
 - Community violence
 - Racism/discrimination
 - Bullying
 - Peer victimization (physical or sexual)
 - Foster care/adoption



Even more
Aces?
(Finkelhor et
al., 2013)

Poverty

Severe medical illness in family

Parental illness/death

Below average grades?

No friends?

Frequent parental arguing?



SO....

What makes something
an “ACE” or not?

ACEs: A concept in search of a definition

- “experiences that are likely to require significant adaptation by an average child and that represent a deviation from the expectable environment” – McLaughlin 2016
- Expectable environment: environmental inputs required for the human brain to develop normally
- Deviation:
 - Absence of expected inputs (neglect)
 - Unexpected inputs that represent threats to physical integrity (violence)

Beyond the ACE Score: Dimensions of Adversity: Threat and Neglect (McLaughlin 2017)

- Ace Score may not capture Dimensions of ACEs
 - Threat (abuse, witnessing violence)
 - Neglect (physical, emotional, cognitive, parental mental illness/alcoholism)
- Each Dimension may affect different developmental systems
 - Threat – reduce amygdala activity/stress response
 - Neglect – increase PFC and executive function
- Identifying these pathways can help researchers identify targets for intervention




How common are ACEs?


The day a CDC researcher wept

Aces are common. Aces are interrelated. Aces have numerous negative effects.

How common are ACEs?



ACE Score Prevalence



ACE Score Prevalence for Participants Completing the ACE Module on the 2010 BRFSS

Number of Adverse Childhood Experiences (ACE Score)	Women Percent	Men Percent	Total Percent
0	37.6%	39.3%	38.5%
1	22.7%	24.5%	23.5%
2	12.9%	13.9%	13.4%
3	9.0%	8.6%	8.8%
4 or more	17.8%	13.7%	15.8%

Note: Reports and articles that use data from other years and/or other states may contain different estimates.

Source: Merrick, M.T., Ford, D.C., Ports, K. A., Guinn, A. S. (2018). [Prevalence of Adverse Childhood Experiences From the 2011-2014 Behavioral Risk Factor Surveillance System in 23 States](#).  JAMA Pediatrics, 172(11), 1038-1044.

Prevalence of ACEs by Category for Participants Completing the ACE Module on the 2011-2014 BRFSS

[Behavioral Risk Factor Surveillance System ACE Data](#)
[| Violence Prevention | Injury Prevention | CDC](#)

ACE Category	Women	Men	Total
	Percent	Percent	Percent
ABUSE			
Emotional Abuse	33.9%	34.9%	34.4%
Physical Abuse	17.5%	18.4%	17.9%
Sexual Abuse	16.3%	6.7%	11.6%
HOUSEHOLD CHALLENGES			
Intimate Partner Violence	18.2%	16.8%	17.5%
Substance Abuse	28.7%	26.3%	27.6%
Mental Illness	19.2%	13.7%	16.5%
Parental Separation or Divorce	27.8%	27.5%	27.6%
Incarcerated Household Member	7.3%	8.6%	7.9%



What are the effects of
ACEs?


ACEs are associated with numerous health and mental health outcomes:

Exposure to ACES is associated with an increased risk for (Hughes et al., 2017)

- Cardiovascular disease - 2.05
- Respiratory disease - 3.05
- Anxiety - 3.7
- Depression - 4.4
- Cancer 2.31


Self-reported Alcoholism

Felitti et al., 1998




Used Illicit Drugs

Felitti et al., 1998




Injected Drug Use

Felitti et al., 1998




But can you
sum it up in
one chart?

Illicit drug use	5.62 (4.46-7.07)
Excluding outliers	5.17 (4.48-5.96)
Problematic alcohol use	5.84 (3.99-8.56)
Excluding outliers	6.86 (5.36-8.78)
Sexually transmitted infections	5.92 (3.21-10.92)
Violence victimisation	7.51 (5.60-10.08)
Violence perpetration	8.10 (5.87-11.18)
Problematic drug use	10.22 (7.62-13.71)
Suicide attempt	30.14 (14.73-61.67)
Excluding outliers	37.48 (22.19-63.31)



ACEs are common.
Aces cause problems.
but why?



Why are ACEs associated with negative outcomes?

- ACEs lead to physical and neurological changes (Hays-Grudo et al., 2021)
 - Changes in neuroendocrinological functioning
 - Repeated activation of stress response systems
 - Allostatic Functioning

Allostatic Load

Stress response system

- Threat is detected, sympathetic nervous system activated (fight or flight)
 - Triggers inflammation
- Hypothalamic-pituitary-adrenal axis activated (HPA)
 - Mobilize stored energy

Threat subsides – parasympathetic nervous system activates

This is adaptive and necessary for survival!

Allostatic Load: Biological Embedding of Stress

The cumulative wear and tear of the body from repeated activation of the stress-response system

Neurological system :

- Changes in prefrontal cortex (impaired attention, difficulties with emotion regulation)
- Enhanced fear response (hypervigilance)

Endocrine System

- Changes in cortisol functioning

Immune System

- Increased inflammation levels

Other biological changes

Alterations in brain development – structural and connectivity

- Prefrontal cortex (focus, decision-making, impulse control)
- Amygdala (heightened threat, lowered reward response)
- Hippocampus (learning)

Epigenetic Changes

- DNA methylation (harder to transcribe RNA)
 - Can lead to dysregulated stress response
- Accelerated aging of cells

Developmental Systems Disrupted


Attachment


cognitive development

Executive system

Emotion regulation systems

Impulse control





Practice!

Describe to a friend (or someone sitting next to you)

- What are ACEs?
- How common are they?
- What effect do they have?
- Why do they have that effect?


Be sure to take turns

Why are ACEs associated with negative outcomes?

Exposure to traumas creates feelings of anger, anxiety or depression

Smoking, alcohol and drug use are used to cope with these feelings

Alcohol and drug use is therefore a “problem” but a solution that provides immediate relief but causes long-term problems
(Felitti et al., 1998)




ACEs and Substance Use

Substance use is not
a “problem”, it is an
attempted solution

Gabor Mate's reframe

- Addiction: any behavior that a person finds temporary pleasure or relief in and therefore craves, suffers negative consequences from, and has trouble giving up.
 - How many people at some point, have an addiction?
 - What about it was going well for you? What did it do for you?



Summary so far

Aces are *interrelated* stressful/traumatic events that occur during childhood (< 18)

Aces can alter stress response and brain development

Aces are associated with an increased risk of many problems, esp. substance use

So....

Should we routinely screen for ACEs?

What are some benefits? Drawbacks?

Are ACEs the whole story?

But is this the whole story?

Health problem	Number of categories	Sample size (N) ^a	Prevalence (%) ^b	Adjusted odds ratio ^c
Considers self an alcoholic	0	3,841	2.9	1.0
	1	1,993	5.7	2.0
	2	1,042	10.3	4.0
	3	586	11.3	4.9
	4 or more	540	16.1	7.4
	Total	8,002	5.9	—
Ever used illicit drugs	0	3,856	6.4	1.0
	1	1,998	11.4	1.7
	2	1,045	19.2	2.9
	3	589	21.5	3.6
	4 or more	541	28.4	4.7
	Total	8,029	11.6	—
Ever injected drugs	0	3,855	0.3	1.0
	1	1,996	0.5	1.3
	2	1,044	1.4	3.8
	3	587	2.3	7.1
	4 or more	540	3.4	10.3
	Total	8,022	0.8	—

Source: Felitti et al. (1998))

So why do some develop
problems, but others
don't?



What is
resilience?

In small-ish groups come up
with a definition of what
“resilience” is

Then, work to identify and list
some potential protective
factors that might reduce risk
from ACEs

Resilience

“The ability to draw on strengths and assets to cope with adversity” (Ashton et al., 2021)

“The process of adapting well in the face of adversity, trauma, tragedy, threats, or even significant sources of stress” (American Psychological Association, 2014)



Is resilience a trait?

An outcome?

In the individual?

Their environment?



Resilience

- Resilience is successful adaptation following adversity (Masten 2007)
- Resilience is systemic, dynamic, and exists in the developmental system (Lerner 2006)
- Chronic exposure to ACEs may impair multiple developmental systems (Hays-Grudo et al. 2021) compromising fundamental adaptive systems (Masten 2001) leading to long term problems
- However, these systems are prime candidates for identifying factors that promote resilience to ACEs

Protective and Compensatory Experiences

Positive Relationships

- Parental love
- Positive peer relations
- Non-parental adult mentor
- Belonging to a social group
- Volunteering in community

Access to Resources

- Living in a safe home
- Quality education
- Having a hobby
- Involvement in team sports
- Consistent and fair family routines and rules



Masten's “short list”

- Capable caregiving/parenting
- Other close relationships
- Problem-solving skills
- Self-control
- Motivation to succeed
- Self-efficacy
- Faith, hope, belief life has meaning
- Effective schools
- Well-functioning communities


Benevolent Childhood Experiences

Benevolent Childhood Experiences [BCE's] (Narayan et al., 2018)

To get a BCE score, the survey-taker is asked how many of these ten items he or she experienced before the age of 18. Would you respond "yes" or "no" to the prompt, ***"Growing up, I had..."***

Item	YES	NO
1. At least one caregiver with whom you felt safe?		
2. At least one good friend		
3. Beliefs that gave you comfort		
4. Enjoyment at school		
5. At least one teacher that cared		
6. Good neighbours		
7. An adult (not a parent/ caregiver or the person from *1) who could provide you with support or advice		
8. Opportunities to have a good time		
9. Like yourself or feel comfortable with yourself		
10. Predictable home routine, like regular meals and a regular bedtime		
Total YES's = BCE Score		

Narayan, A. J., Rivera, L. M., Bernstein, R. E., Harris, W. W., & Lieberman, A. F. (2018). Positive childhood experiences predict less psychopathology and stress in pregnant women with childhood adversity: A pilot study of the benevolent childhood experiences (BCEs) scale. *Child abuse & neglect*, 78, 19-30.



Even more
lists?

- [Microsoft Word - ACE & Resilience Questionnaires Derek Farrell 2.docx \(loulebentz.com\)](#)

What are benefits of considering both ACEs and protective factors?

Take-aways so far:

- What are your take-aways right now?
- Implications for this?
- Applications for this?

Tips for Screening for ACEs AND PACEs in Therapy Context

ACEs

- Provide context for understanding ACEs score
 - What are ACEs
 - *Potential* effects
 - How common ACEs are, how that relates to their score
- Invite them to reflect on their score
 - If ready – how have these experiences shaped their SU or problems in life? (attempted solution)

PACEs

- What, if anything, were the protective experiences?
- How did that balance each other out?
 - If not – how did they survive? How are they still alive? What strengths do they possess w/o any protective factors? How did they manage to stay strong at all?

- As you look at the list of protective factors, how many are currently in your life?
 - What ways are they helping your recovery?
- What are ways to increase these factors?
- Solution focused:
 - how would your life be different if you could add to them?
 - Which one would be the easiest to add? Which one the most beneficial?
 - What is one thing you could do this week to increase your PACEs?

Continuing the Conversation:

Disrupted Development and Protective Factors

Disrupted Systems point to what to repair:

- Attachment – safe, stable, nurturing relationships (join and rapport)
 - Be a safe, trustworthy person in their life
- Stress Dysregulation – affect tolerance, identify triggers, mindfulness, mind-body integration (trauma informed yoga, tai-chi)
- Executive Function: mindfulness, problem solving skills

Stress Dysregulation and Systems

What are some common stressors of individuals in recovery?

Is a focus on coping with stress enough?

What systemic factors might affect their stress levels?

Implications for recovery?

References

American Psychological Association. (2014). *The road to resilience*. Washington, DC: American Psychological Association. Retrieved from <http://www.apa.org/helpcenter/road-resilience.aspx>

Ashton, K., Davies, A. R., Hughes, K., Ford, K., Cotter-Roberts, A., & Bellis, M. A. (2021). Adult support during childhood: A retrospective study of trusted adult relationships, sources of personal adult support and their association with childhood resilience resources. *BMC Psychology*, 9, 1-11. doi:<http://dx.doi.org/10.1186/s40359-021-00601-x>

Bellis, M. A., Hardcastle, K., Ford, K., Hughes, K., Ashton, K., Quigg, Z., & Butler, N. (2017). Does continuous trusted adult support in childhood impart life-course resilience against adverse childhood experiences - a retrospective study on adult health-harming behaviours and mental well-being. *BMC Psychiatry*, 17. doi:<http://dx.doi.org.cyrano.ucmo.edu:2048/10.1186/s12888-017-1260-z>

Bethell, C., Gombojav, N., Solloway, M., & Wissow, L. (2016). Adverse childhood experiences, resilience and mindfulness-based approaches: common denominator issues for children with emotional, mental, or behavioral problems. *Child and Adolescent Psychiatric Clinics*, 25(2), 139-156.

Biglan, A., Van Ryzin, M. J., & Hawkins, J. D. (2017). Evolving a More Nurturing Society to Prevent Adverse Childhood Experiences. *Academic Pediatrics*, 17(7S), S150-S157.

Child-Parent Psychotherapy. (2018). About CPP. <https://childparentpsychotherapy.com/about/>

Child Welfare Information Gateway. (2020). Protective factors approaches in child welfare. Washington, DC: U.S. Department of Health and Human Services, Administration for Children and Families, Children's Bureau.

Crouch, E., Radcliff, E., Strompolis, M., & Srivastav, A. (2019). Safe, stable, and nurtured: Protective factors against poor physical and mental health outcomes following exposure to adverse childhood experiences (ACEs). *Journal of Child & Adolescent Trauma*, 12(2), 165-173.

Felitti, V. J., Anda, R. F., Nordenberg, D., Williamson, D. F., Spitz, A. M., Edwards, V., & Marks, J. S. (1998). Relationship of childhood abuse and household dysfunction to many of the leading causes of death in adults: The Adverse Childhood Experiences (ACE) Study. *American journal of preventive medicine*, 14(4), 245-258.

Garcia, A. R., Gupta, M., Greeson, J. K., Thompson, A., & DeNard, C. (2017). Adverse childhood experiences among youth reported to child welfare: Results from the national survey of child & adolescent wellbeing. *Child Abuse & Neglect*, 70, 292-302.

Hays-Grudo, J., Morris, A. S., Beasley, L., Ciciolla, L., Shreffler, K., & Croff, J. (2021). Integrating and synthesizing adversity and resilience knowledge and action: The ICARE model. *American Psychologist*, 76(2), 203.

Hughes, K., Bellis, M. A., Hardcastle, K. A., Sethi, D., Butchart, A., Mikton, C., ... & Dunne, M. P. (2017). The effect of multiple adverse childhood experiences on health: a systematic review and meta-analysis. *The Lancet Public Health*, 2(8), e356-e366.

References

Jamieson, K. (2018). *Resilience: A Powerful Weapon in the Fight Against ACEs*. Center for Child Counseling. <https://www.centerforchildcounseling.org/resilience-a-powerful-weapon-in-the-fight-against-aces/>

Marie-Mitchell, A. & Kostolansky, R. (2019). A Systematic Review of Trials to Improve Child Outcomes Associated With Adverse Childhood Experiences. *American Journal of Preventive Medicine*, 56(5), 756–764.

Moore, K. A., & N Ramirez, A. (2016). Adverse childhood experience and adolescent well-being: Do protective factors matter?. *Child Indicators Research*, 9(2), 299–316.

Morris, A. S., Treat, A., Hays-Grudo, J., Chesher, T., Williamson, A. C., & Mendez, J. (2018). Integrating research and theory on early relationships to guide intervention and prevention. In *Building early social and emotional relationships with infants and toddlers* (pp. 1-25). Springer, Cham.

Narayan, A. J., Rivera, L. M., Bernstein, R. E., Harris, W. W., & Lieberman, A. F. (2018). Positive childhood experiences predict less psychopathology and stress in pregnant women with childhood adversity: A pilot study of the benevolent childhood experiences (BCEs) scale. *Child abuse & neglect*, 78, 19–30.

PCIT International. (2015–2018). *Professionals: What is PCIT?* <http://www.pcit.org/what-is-pcit-for-professionals.html>

Racine, N., Eirich, R., Dimitropoulos, G., Hartwick, C., & Madigan, S. (2020). Development of trauma symptoms following adversity in childhood: The moderating role of protective factors. *Child Abuse & Neglect*, 101, 104375, 1–11.

Ratliff, E., Morris, A. S., & Hays-Grudo, J. (2020). *PACEs for Children: Overcoming Adversity and Building Resilience*. Oklahoma State University Extension. <https://extension.okstate.edu/fact-sheets/paces-for-children-overcoming-adversity-and-building-resilience.html>

Sciaraffa, M. A., Zeanah, P. D., & Zeanah, C. H. (2018). Understanding and promoting resilience in the context of adverse childhood experiences. *Early childhood education journal*, 46(3), 343–353.

Substance Abuse and Mental Health Services Administration. (2021). *Childhood Resilience*. <https://www.samhsa.gov/homelessness-programs-resources/hpr-resources/childhood-resilience>

Ungar, M., & Liebenberg, L. (2011). Assessing Resilience Across Cultures Using Mixed Methods: Construction of the Child and Youth Resilience Measure. *Journal of Mixed Methods Research*, 5(2), 126–149.